

ANNE ARUNDEL COUNTY PUBLIC SCHOOLS  
NOTIFICATION  
OF AVAILABILITY OF ASBESTOS  
MANAGEMENT PLANS

On October 22, 1986, the United States Congress enacted the Asbestos Hazard Emergency Response Act (AHERA). The final rule, published October 30, 1987, requires all public and private elementary and secondary schools to address various asbestos issues including inspections, development of Management Plans, notifications, training, operations and maintenance activities, response action, post response action activities, reinspections and periodic surveillance activities that are planned or are in progress.

The Anne Arundel County Public Schools' asbestos management program has been structured to fulfill the AHERA requirements. A Management Plan developed for each facility outlines our program and AHERA compliance activities. All personnel who work in an Anne Arundel County Public Schools facility are instructed to: (1) review the Management Plan prior to performing work, and (2) not disturb asbestos containing materials. Accredited, licensed asbestos abatement professionals will perform all asbestos-related abatement activities

For new buildings, those completed after October 12, 1988, our "management plan consists of the exclusion documentation including this notification. This documentation means that to our knowledge, no asbestos-containing building materials were used or specified in the construction of these buildings. These schools are as follows: Annapolis Elementary, Belle Grove Elementary, Crofton Meadows Elementary, Davidsonville Elementary, Ferndale Early Childhood Center, Folger McKinsey Elementary, Freetown Elementary, Glendale Elementary, Germantown Elementary, Hebron-Harman Elementary, Jacobsville Elementary, Lake Shore Elementary, Marley Elementary, Marley Middle, Mayo Elementary, Meade Heights Elementary, Meade Middle, Nantucket Elementary, Northeast High, Overlook Elementary, Park Elementary, Pasadena Elementary, Pershing Hill Elementary, Phoenix Academy, Piney Orchard Elementary, Point Pleasant Elementary, Ridgeway Elementary, Ruth Parker Eason Special, Severna Park Middle, Seven Oaks Elementary, Shipley's Choice Elementary, Solley Elementary, Southgate Elementary, South Shore Elementary, Tracey's Elementary and Windsor Farm Elementary Schools.

The school unique management plan is available in the school administrative office for review. All other school plans are available for review in the Maintenance Division, located at 9034 Fort Smallwood Road, Pasadena, MD. 21122-3223. Five (5) working days notification is required.

If you have any questions regarding the Anne Arundel County Public Schools' asbestos management program, please contact Mr. C. Thomas Leary, Asbestos Program Manager, at 410-255-2535, by email [cleary@aacps.org](mailto:cleary@aacps.org), or by mail at the above address.

**Anne Arundel County Public Schools prohibits discrimination in matters affecting employment or in providing access to programs on the basis of race, color, religion, national origin, sex, age, marital status, sexual orientation, or disability unrelated in nature and extent so as to reasonably preclude performance. For more information, contact the Office of Investigations, Anne Arundel County Public Schools, 2644 Riva Road, Annapolis, Maryland 21401, (410)255-5286; TDD (410)222-5500. [www.aacps.org](http://www.aacps.org).**